Dental Instruments, Orthodontic Tools & Implants Catalogue



The Unique In Quality

Concise Enterprises

(Dental & Surgical Instruments Manufacturing Company)

The Unique In Quality

Concise Enterprises



(Dental & Surgical Instruments Manufacturing Company)

Ahmed Din Estate, Noul More, Roras Road,
Sialkot-51310, Pakistan

Tel. +92 52 3574077 | Fax +92 52 3574078
E-mail: dental@concise.com.pk
contact@concise.com.pk
infoconcise@gmail.com
http://www.concise.com.pk | www.medical-instruments.biz

USA Office: Concise Med & Beauty USA
Astoria NY 11105-5746
Tel: +1 (347) 3050081
E-Mail: usa@medical-instruments.biz

Certificates

CE

FDA APPROVED 3003334541

GMP Approved Facility

MEMBER

MEMBER

Concise Enterprises

FACTORY VIEW









Forging To Packing
From forging to packing each step is controlled by our trained workers to make sure that each instruments manufactured is reflecting Concise Enterprises craftsmanship and commitments.





Latest Technologies
Our production departments are well equipped with latest machines range from latest CNC machines, laser welding and NC machines to simple drilling machines to get the ultimate quality and process control.



E-mail: dental@concise.com.pk Web: www.concise.com.pk

Concise Enterprise *the name of ergonomics, long-lasting quality and steady progress, was established in 1958 as a Manufacturers of* ***Dental & Surgical Instruments, Orthodontic tools, Implants, Scissors and wide range of Orthodontic Pliers & Cutters***

Certification :-

Concise Enterprise *is certified with Quality management system ISO 9001:2008, ISO 13485, ISO7153-1, EN 46002, CE Mark, cGMP (F.D.A / USA) approved.*

Health and Safety Policy, Environment policy *always adopted as per international standard.*

Quality policy:-

- *Concise is Working for Customer satisfaction*
- *Customer Confidence*
- *Produce cost effective quality products*
- *Doing things right at first time.*
- *Like the partner that is behind you.*

Founder Mr. Mohammad Yousaf (Late) *devoted his life to serve the world in surgical / dental field. Following the footsteps of their fore-fathers, they have engaged themselves in the manufacturing instruments made of Stainless Steel. The experience and knowledge transferred from the fore-fathers to founder count to be the back bone of excellent quality* ***CONCISE*** *products.*

Organizational Structure :- *We are trying our best to provide you the best service and atmosphere to do business. Today,* ***Concise Enterprises*** *well known throughout world for its workmanship, Prime Quality, Competitive Prices, and Prompt Services.* ***Concise*** *is equipped wit modern facilities to manufacture Instruments according to needs of its valued customer.*

Concise Enterprises *is thankful to all of its worthy customers for their trust and for their appreciation of quality and services* ***Concise*** *provide them.*


Regards,
Concise Team


Certificates

FDA APPROVED 3003334541


Concise Enterprises

Normal Anatomy – Dental Implants









IMPLANT GAGES



DE-1434
Multifunctional Meter
Length 90 mm,
different sizes,
8-10-11mm,
corrosion-resistant

DE-1435
Multifunctional Meter
Length 90 mm,
different sizes,
5-13-15-17 mm,
corrosion-resistant

DE-1436
Measuring Probe
Length 170 mm,
hand shape or flexible
(6-8-10-14-16 mm),
corrosion-resistant

DE-1437

DE-1438


DE-1439

DE-1440

IMPLANT GAGES



DE-1441



DE-1442



DE-1443

E-mail: dental@concise.com.pk Web: www.concise.com.pk

Concise Enterprises



DE-1444
Clamp, Osteometer
Length about 155 mm,
ridge width measurement,
two-sided scale,
measuring
range 0 - 25 mm



DE-1445
Measuring Loop
straight length 90 mm,
measuring range
0 - 40 mm,



DE-1446
Measuring Loop
angled, length 90 mm,
measuring range
0 - 40 mm,



DE-1447
Measuring loop, Castroviejo
angled, length 175 mm,
measuring range 0 - 40 mm,
with window



DE-1448
Boley Gauge
Stainless Steel



DE-1449
Measuring Loop
angled, length
175 mm,
measuring range
0 - 40 mm,



DE-1450
Measuring Loop
straight length
175 mm,
measuring range
0 - 40 mm,



DE-1451
Fig. 1
Iwanson
spring caliper
For metal and
porcelain.



DE-1452
Fig. 2
Iwanson
spring caliper
For wax.




DE-1453
Bone Thickness Gauge
40mm, 180mm



DE-1454
Gauge
for measuring
distances
(0 - 90 mm),

BLACK TITANIUM COLOUR COATED INSTRUMENTS



DE-1455 #1

DE-1456 #2

DE-1457 #3 Extra-Flex

DE-1458 Micro-Mini

DE-1459 Mini 1

DE-1460 Mini 4 Extra-Flex


DE-1461 #4 Extra-Flex

DE-1462 #5 Flexi-Thin

DE-1463 #6 Flexi-Thin

DE-1464 Mini 3 Extra-Flex

BLACK TITANIUM COLOUR COATED INSTRUMENTS



DE-1465
AB1
Boghosian

DE-1466
AB2
Boghosian

DE-1467
W3

DE-1468
8A

DE-1469
4/5
Gregg

DE-1470
Interproximal
Carver

DE-1471
Interproximal
Carver, Long


DE-1472
A6

DE-1473
Contouring
instrument

BLACK TITANIUM COLOUR COATED INSTRUMENTS

BURNISHERS

FREEDMAN BURNISHERS



DE-1474
21B

DE-1475
27/29

DE-1476
2
Ladmore

DE-1477
3
Ladmore


DE-1478
Freedman
"Duckhead"

DE-1479
Freedman
Small Contact
Forming

DE-1480
Freedman
Large Contact
Forming

DE-1481
Small/
Medium Ball
Burnisher

BLACK TITANIUM COLOUR COATED INSTRUMENTS



DE-1482
A
Cosmetic Contouring

DE-1483
B
Cosmetic Contouring

DE-1484
C
Cosmetic Contouring

DE-1485
D
Cosmetic Contouring

DE-1486
E
Cosmetic Contouring


DE-1487
F
Cosmetic Contouring

DE-1488
Marginal Ridge & Embrasure Shaping Instrument

DE-1489
Occlusal Anatomy Instrument


DE-1490
Composite Packing Instrument

BLACK TITANIUM COLOUR COATED INSTRUMENTS



DE-1491	DE-1492	DE-1493	DE-1494	DE-1495	DE-1496	DE-1497	DE-1498	DE-1499	DE-1500
#3 Extra-Flex	Mini 1	Micro-Mini	Medium Placing/ Condensing	Large Placing/ Condensing	0T Tanner	3 Hollenback	5A	Small/Medium Contact Forming	Medium/Large Contact Forming

SINUS LIFT INSTRUMENTS HOLLOW HANDLE 9.5MM LENGTH 170MM



DE-1501
Sinus Lift Elevator

DE-1502
Sinus Lift Elevator

DE-1503
Sinus Lift Elevator

DE-1504
Sinus Lift Elevator

DE-1505
Sinus Lift Elevator

SINUS LIFT INSTRUMENTS HOLLOW HANDLE 9.5MM LENGTH 170MM



DE-1506
Sinus Lift Elevator

DE-1507
Sinus Lift Elevator

DE-1508
Sinus Lift Elevator

DE-1509
Sinus Lift Elevator

IMPLANT SINUS LIFT INSTRUMENTS HOLLOW HANDLE 9.5MM LENGTH 170MM



DE-1510
Acute 6577

DE-1511
Sinus1

DE-1512
Sinus2

DE-1513
Sinus3,
Obtuse 6578


DE-1514
Sinus4

DE-1515
Sinus5

DE-1516
Sinus6

DE-1517
Sinus7

SINUS LIFT INSTRUMENTS HOLLOW HANDLE 9.5MM LENGTH 170MM



DE-1518 Sinuslift 1

DE-1519 Sinuslift 2

DE-1520 Sinuslift 3

DE-1521 Sinuslift 4

DE-1522 Sinuslift 5

DE-1523 Sinuslift 6

DE-1524 Membrane 3Positioning 1

DE-1525 Condenser 1

Sinus Lift Instrument,
Flexible Sinus Lift instruments reduce the risk of perforation of the "Schneider's membrane"



DE-1526 Fig. 1 **DE-1527** Fig. 2 **DE-1528** Fig. 3

Sinus Lift Elevator,
10 mm Straight grip
Length 175 mm, Sinus lift elevators, dull, for gentle peeling and lifting the Schneider membrane




DE-1529 Fig. 1 **DE-1530** Fig. 2 **DE-1531** Fig. 3

Sinus lift instrument
10 mm Straight grip Length 180 mm, Buser (B1, B2, B3) raspatories, quality medical stainless steel, corrosion-resistant



DE-1532 B01 **DE-1533** B02 **DE-1534** B03

Sinus lift instrument 10 mm Straight grip Sinus lift elevators, blunt or sharply curved
(H01, H02, K03, K04, K78, K77)



DE-1535
Sinus lift instrument
H01

DE-1536
Sinus lift instrument
H02

DE-1537
Sinus lift instrument
K03

DE-1538
Sinus lift instrument
K04

DE-1539
Sinus lift instrument
K78

DE-1540
Sinus lift instrument
K77

SINUS LIFT INSTRUMENT

Sinus Lift Elevators, 10 mm Hollow Handle length 170mm Blunt Curved Set of 6 Pcs



DE-1541 DE-1542 DE-1543 DE-1544 DE-1545 DE-1546

IMPLANT SINUS LIFT INSTRUMENTS

PERIODONTAL SURGERY **SURGICAL CHISELS**

KRAMER NEVINS SINUS LIFT



DE-1547 TG



DE-1548 SOLT3/4



DE-1549 TGO




DE-1550 29K



DE-1551 FEDI4



DE-1552 OCH3



DE-1553 OCH4



DE-1554 FEDI1



DE-1555 FEDI2



DE-1556 FEDI3



DE-1557 Gf36

IMPLANT SURGICAL CHISELS



DE-1558 13K/TG



DE-1559 13K/TG Titanium




DE-1560 13K/TG



DE-1561 13KL/R Titanium



DE-1562 13KL 4/6mm
Titanium Available



DE-1563 Pt2 Titanium
A/V Regular



DE-1564 Pt1 Titanium
A/V Regular



DE-1565 Pt3 Titanium Angel S/E



DE-1566 Pt4 Titanium STR S/E



DE-1567 Pt5 Titanium TG CVD S/E

MIXING SPATULA WITH SHOVEL



DE-1568
Bone Carrier
Titanium

DE-1569
Raspator, Prichard
Length 180 mm,
10 mm hollow handle,
double-ended
10.5 mm | 4.5 mm,

DE-1570
Raspator, Prichard
Length 180 mm,
10 mm hollow handle,
double ended

DE-1571
Raspator, Prichard
Length 180 mm,
10 mm hollow handle,
double-ended
10.5 mm | 4.5 mm,

DE-1572
Mixing Spatula
with shovel
17cm

DE-1573
Mixing Spatula
with shovel
18.5cm

- Инструменты для имплантологии
- Implantologie
- Implantologie
- Інструменти для імплантології
- Implantoloia
- زراعة الأسنان

Concise Enterprises

BONE GRAFTING INSTRUMENTS COMPACTOR /TAMPERS

Product offering includes instruments for harvesting, mixing and compacting bone Provides clinicians with the proper instrumentation for bone grafting procedures Weighted bone basin Prevents tipping and spilling of bone and other materials during mixing



DE-1574
Graft Packer, Concave Tips DE 4/6mm

DE-1575
Bone Spoon/ Packer DE 3mm

DE-1576
Graft Packer, Serrated Tips DE 6/8mm


DE-1577
Graft Packer, Serrated Tips DE 3/4mm

DE-1578
Graft Packer, Smooth Tips DE 5/8mm

DE-1579
Titanium graft packer/ placement site depth gauge 3.3mm & 4.0mm Diameter tips Marked at 8, 11, 13, 15 & 18mm

DE-1580
Graft Material Spoon Concave Tip For Larger Grafts

BONE GRAFTING INSTRUMENTS



DE-1581
Blade and pusher
Length 180 mm,
for straight or angled,
blade: 15 x 5 mm,
pusher: 4 mm diameter
Straight

DE-1582
Blade and pusher
Length 180 mm,
for straight or angled,
blade: 15 x 5 mm,
pusher: 4 mm diameter
angular

DE-1583
Spoon and pusher
Length 180 mm,
for angled spoon:
10 x 5 mm, pusher:
diameter 3 mm

DE-1584
Tunnelierungs Instrument
length 175 mm,

DE-1585
Tunnelierungs Instrument
length 175 mm,
different designs

DE-1586
Tamper
Length 170 mm,
for bone material,
double-ended,
diameter 3.2 mm
(2-4-6-8-10) and diameter
2.5mm (2-4-6-8-10)

BONE GRAFTING INSTRUMENTS

Pluggers Clarizio
Length 160 mm, with titanium tips for mixing and pouring of autologous, heterologous bone substitute material, diameter (3/4 or 6/8 mm)



DE-1587 Ø 4mm
DE-1588 Ø 5mm
Compactor
150mm



DE-1589
Sinus Window
Bone Tampers
4 mm



DE-1590
Sinus Window
Bone Tampers
7 mm




DE-1591
6/8mm



DE-1592
3/4mm

SPOON AND PUSHER (TRINOVO)

Trinovo handle, different workers, for bone material, high-grade medical stainless steel, corrosion-resistant



DE-1593
10x5mm

DE-1594
10x5mm

DE-1595
10x5mm


DE-1596
Bone Graft/Carrier
Titanium
2-4-6-8-10mm

DE-1597
15x10mm

DE-1598
10x5mm

DE-1599
10x5mm

PERIOSTEALS ELEVATOR 10mm Hollow Handle



DE-1600
Raspator, BonexScraper
Length 165 mm, 10 mm hollow handle, double-ended 6 mm / 4 mm,

DE-1601
Raspator, Raspatory
Length 180 mm, 10 mm hollow handle, double-ended 3 mm | 3 mm,

DE-1602
Raspator, Raspatory
Length 180 mm, 10 mm hollow handle, double-ended 3 mm | 3 mm,


DE-1603
Raspator, Papilla
Length 185 mm, 10 mm hollow handle, double-ended 3 mm | 2 mm,

DE-1604
Raspator, bone scraper
Length 175 mm, 10 mm hollow handle, double-ended,

DE-1605
Raspator, micro-Freer
Length 180 mm, 6 mm solid grip, double-ended 3 mm | 4 mm

DE-1606
Raspator, Freer
Length 180 mm, 6 mm solid handle, double-ended 5 mm | 5 mm,

PERIOSTEALS ELEVATOR 10mm Hollow Handle



DE-1607
Raspator, Freer
10 mm hollow handle, high-quality medical double ended

DE-1608
Raspator, Molt
Length 180 mm, 8 mm solid grip, double-ended 6 mm

DE-1609
Raspator, micro Freer
Length 185 mm, 10 mm hollow handle, double-ended,

DE-1610
Raspator, micro Freer
Length 185 mm, 10 mm hollow handle, double-ended,

DE-1611
Raspator, micro Raspator / chisel
Length 170 mm, 10 mm hollow handle, double-ended,

DE-1612
Raspator, micro . Raspator / chisel
Length 175 mm, 10 mm hollow handle, double-ended,

DE-1613
Raspator, Micro Raspator / chisel
Length 175 mm, 8 mm solid handle, double-ended 3.5mm | 3.5 mm,

PERIOSTEALS ELEVATOR 10mm Hollow Handle



DE-1614
Raspatory Micro Molt
Length 175 mm,
corrosion-resistant

DE-1615
Raspatory Chipping
Workers:
Chisel 24G and 7.5 mm,
length about 175 mm,
corrosion-resistant

DE-1616
Raspatory MOLT
Work ends:
5.0 mm and 4.0 mm,
length about 175 mm,
corrosion-resistant

DE-1617
Rasp, Molt M9
Length 175 mm,
corrosion-resistant

DE-1618
Raspator, WAUTIER
Length 175 mm,
corrosion-resistant

DE-1619
Raspator, BENQUE
Length 170 mm,
workers
5 mm | 7 mm,
corrosion-resistant

DE-1620
Raspator, Nordberg
Length 180 mm,
8 mm hollow handle,
double-ended
6 mm | 4 mm

Hollow Handle 10mm Length 170mm



DE-1621 Miller



DE-1622 Miller




DE-1623 LUCAS #84




DE-1624 LUCAS #85



DE-1625 LUCAS #86



DE-1626 LUCAS #87



DE-1627 LUCAS #88



DE-1628 LUCAS86S
SERRATED



DE-1629 LUCAS86AS
SERRATED

TISSUE MEMBRANE FORCEPS



DE-1630
Tissue Graft Forcep
Serrated Teeth



DE-1631
Self Locking
Grooved



DE-1632
Tissue Graft Forcep
Serrated Teeth



DE-1633
Titanium
Locking Plier



DE-1634
TC Gripper Carbide
Tipped Tissue Forceps
Serrated Carbide Tips
14.5cm



DE-1635
Adson Carbide
Tipped Tissue Forceps
Serrated Carbide Tips
12cm



DE-1636
Micor Adson 1x2
Tissue Forcep 12.1cm
1x2 Teeth - 0.5mm Tips



DE-1637
Adson 7x7
Tissue Forceps
7x7 Teeth 12cm



DE-1638
Adson 7x7 Curved
Tissue Forceps
7x7 Teeth 12cm



DE-1639
Suture Pliers
Suture Forceps with
1.6mm Ring Tip



DE-1640
Debakey Atraumatic
Tissue Forceps Straight
Serrated Teeth
16cm



DE-1641
Debakey Atraumatic
Tissue Forceps Curved
Serrated Teeth
16cm

TISSUE MEMBRANE FORCEPS



DE-1642
Russian Long
Tissue Forceps
Serrated Tip
20cm



DE-1643
Russian
Tissue Forceps
Serrated Tip
15cm



DE-1644
Tissue Punch Forceps
To Remove Tissue
After Using Punch



DE-1645
13.5 cm
narrow



DE-1646
10.5 cm
Membrane tweezers KUEHNE



DE-1647
13.5 cm
wide



DE-1648
Pin-Tweezers
with or without lock,
length 15 cm,
with lock



DE-1649
without lock,



DE-1650
Haltepinzette with lock
15,5 cm, for pins, towards
the tips, etc.,



DE-1651
Carry Forceps
15cm



DE-1652
Carry Forceps
15cm



DE-1653
Carry Forceps
15cm


OSTEOTOME CONVEXES / CONCAVE / CONIQUES

CONVEXES



DE-1654
SET OF 5 PIECES

CONCAVES




DE-1655
SET OF 5 PIECES

CONIQUES



DE-1656
SET OF 5 PIECES



CONVEXES STRAIGHT	**DE-1654**	2,7 Ømm	3,2 Ømm	3,7 Ømm	4,2 Ømm	5 Ømm
CONCAVES STRAIGHT	**DE-1655**	2,7 Ømm	3,2 Ømm	3,7 Ømm	4,2 Ømm	5 Ømm
CONIQUES STRAIGHT	**DE-1656**	2,7 Ømm	3,2 Ømm	3,7 Ømm	4,2 Ømm	5 Ømm


OSTEOTOME CONVEXES / CONCAVE / CONIQUES



DE-1657
SET OF 5 PIECES

DE-1658
SET OF 5 PIECES

DE-1659
SET OF 5 PIECES



CONVEXES CURVED	**DE-1657**	2,7 Ømm	3,2 Ømm	3,7 Ømm	4,2 Ømm	5 Ømm
CONCAVES CURVED	**DE-1658**	2,7 Ømm	3,2 Ømm	3,7 Ømm	4,2 Ømm	5 Ømm
CONIQUES CURVED	**DE-1659**	2,7 Ømm	3,2 Ømm	3,7 Ømm	4,2 Ømm	5 Ømm

E-mail: dental@concise.com.pk Web: www.concise.com.pk

- Инструменты для имплантологии
- Implantologie
- Implantologie
- Інструменти для імплантології
- Implantoloia
- زراعة الأسنان

Concise Enterprises

TREPHINE

Burs with depth markings are suited for precise and simple transplantation of cylindrical bone grafts as well as for all other bone-exctraction tasks.



DE-1660
Ø Int. 2 mm
Ø Ext. 3 mm

DE-1661
Ø Int. 3 mm
Ø Ext. 3.5 mm

DE-1662
Ø Int. 4 mm
Ø Ext. 5 mm

DE-1663
Ø Int. 5 mm
Ø Ext. 6 mm

DE-1664
Ø Int. 6 mm
Ø Ext. 7 mm

DE-1665
Ø Int. 7 mm
Ø Ext. 8 mm


DE-1666
Ø Int. 8 mm
Ø Ext. 9 mm

DE-1667
Ø Int. 9 mm
Ø Ext. 10 mm

DE-1668
Ø Int. 10 mm
Ø Ext. 11 mm



DE-1669
Tissue Punch with pin
Set of Four Pieces



DE-1670
Tissue Punch
Set of Five Pieces



DE-1671
Tissue Punch
Set of Five Pieces



DE-1672
Trephine Drill
Set of Eight Pieces



DE-1673
Short Implant Drills



DE-1674
Long Implant Drills



DE-1675
Trephine Drill
Set of Eight Pieces


BONE SCRAPER STRAIGHT & CURVED



DE-1676
Bone Scraper
Straight

DE-1677
Bone Scraper
Curved

TISSUE PUNCH STRAIGHT & CURVED



DE-1679 2.0mm
DE-1680 4.0mm
DE-1681 5.0mm
DE-1682 6.0mm
DE-1683 7.0mm
DE-1684 8.0mm

DE-1686 2.0mm
DE-1687 4.0mm
DE-1688 5.0mm
DE-1689 6.0mm
DE-1690 7.0mm
DE-1691 8.0mm

DE-1678
Tissue Punch
Straight

DE-1685
Tissue Punch
Curved





DE-1692
Bone Mill



DE-1693
Basins For Bone



BONE CRUSHER
DE-1694

E-mail: dental@concise.com.pk Web: www.concise.com.pk

KEYS FOR IMPLANT SCREW



DE-1695



DE-1696



DE-1697



DE-1698

TORQUE WRENCH & RATCHET



DE-1699 Star Torque Wrench 6.35mm Universal



DE-1700 Round Torque Wrench 4.0mm Universal



DE-1701 Hex Driver With 4.0mm Driver



DE-1702 Star Torque Wrench 6.35mm Universal



DE-1703 Hex Torque Wrench 4.00mm Universal



DE-1704 Star Torque Wrench 6.35mm Universal



DE-1705 Star Torque Wrench 6.35mm Universal



DE-1706 Star Torque Wrench 6.35mm Universal



DE-1707 Star Torque Wrench 6.35mm Universal



DE-1708 Star Torque Wrench 6.35mm Universal



DE-1709 Star Rachet Wrench 6.35mm Universal



DE-1710 Star Rachet Wrench 6.35mm Universal



DE-1711 Star Rachet Wrench 6.35mm Universal



DE-1712 Star Rachet Wrench 4.0mm Universal



DE-1713 Round Rachet Wrench 4.0mm Universal




DE-1714 Round Rachet Wrench 3.35mm Universal




DE-1715 Star Rachet Wrench 4.0mm Universal



DE-1716 Star Rachet Wrench 6.35mm Universal







DE-1719
BONE CRUSHER



DE-1717
BONE CRUSHER
Titanum Metal Cutter

mallet



DE-1720
BONE CRUSHER
Bone Grinding Grain
1.5mm, 2mm, 2.5mm



DE-1718
BONE CRUSHER
Titanum Metal Cutter

mallet



DE-1721
BONE CRUSHER
Bone Grinding Grain
1.5mm, 2mm, 2.5mm

BONE EXPANDER SCREW & SURGICAL KITS



DE-1722
Bone Universal Kit
Drill: 2mm, 2.8mm, 3.2mm, 3.65mm,
4.2mm, 4.5mm, 4.8mm, 5.2mm
Trephines Bit:
3.0mm, 4.0mm, 5.0mm, 6.0mm,
7.0mm, 8.0mm, 9.0mm, 10mm.
Driver:
2.5mm, 2.5mm Hand Pcs
1.25mm, 1.25mm Hand Pcs
Short Driver 2.5mm
Long Driver 2.5mm
1.25mm, Short Hex Driver Hand Pcs
1.25mm, Long Hex Driver Hand Pcs
Torque Wrench 4.0mm



DE-1723
Bone Expander Kit
Expander: 2.6mm, 3.0mm,
3.4mm, 3.8mm, 4.3mm
Rachet Driver
Parallel Pin
Pilot Drill
Drill 1.4mm
Drill Driver 4mm
Hand Driver 4mm
Rachet 4.0mm





DE-1724
Bone Universal Kit
Drill: 2mm, 2.8mm, 3.2mm, 3.65mm,
4.2mm, 4.5mm, 4.8mm, 5.2mm
Trephines Bit:
3.0mm, 4.0mm, 5.0mm, 6.0mm,
7.0mm, 8.0mm, 9.0mm, 10mm.

Bone Compression:
2mm, 3.3mm, 2.8mm, 4.2mm, 3mm, 3.5mm
Driver:
2.5mm, 2.5mm Hand Pcs
1.25mm, 1.25mm Hand Pcs
Short Driver 2.5mm
Long Driver 2.5mm
1.25mm, Short Hex Driver Hand Pcs
1.25mm, Long Hex Driver Hand Pcs
Torque Wrench 6.35mm 1 Pcs

DE-1725
Conical Drills: 20 Pcs
Tissue Punches:
3.0mm, 3.50mm, 4.0mm, 4.5mm,
5.0mm, 6.0mm, 6.50mm
Bone Expander:
1.6/3.8mm, 1.9/3.0mm, 2.1/3.6mm,
2.6/3.8mm, 2.9/4.3mm
Drill Adapter: 1 Pcs
1.25mm, 2.50mm Hex Driver Hand Pcs

Pilot Drill: 1.6mm
Drill Bit: 1.4mm, 1.6mm, 1.8mm, 2.0mm, 2.2mm
Rachet Driver: 4mm/6.35, 1.25/2.50
Rimer: 3.2/4.7mm, 3.7/4.7mm
Parallel Pin: 4.5mm, 2.5mm
Double step Drill: 2.4/2.8mm
Depth Gauge: 1 Pcs
Torque Wrench 6.35mm Universal: 1 Pcs

BONE INJECTORS, COLLECTORS & SUCTION TUBE




DE-1726
Ø 2,5mm /
3,5mm
170mm

DE-1727
Ø 4,5mm /
5,5mm
170mm

DE-1728
Ø 3,5mm /
4,5mm
170mm

DE-1729
Ø 6,0mm /
7,0mm
170mm



DE-1730
18cm
Straight / Bend
I.D 2.5mm
O.D 3.5

DE-1731
18cm
Straight / Bend
I.D 3.5mm
O.D 4.5

DE-1732
18cm
Straight / Bend
I.D 4.5mm
O.D 5.5

DE-1733
18cm
Straight / Bend
I.D 6.0mm
O.D 7.0



With Filter

DE-1734
17.5cm



DE-1735
18cm



DE-1736
coarse
Ø 5mm

Suction tubes to collect the extracted bone material
180mm



DE-1737
fine
Ø 9mm



DE-1738
Suction
Tubes
180mm

DE-1739
Suction
Tubes
180mm

DE-1740
Suction
Tubes
180mm



DE-1741
Fig. 6FR
Frazier
15 cm - Ø 2 mm

DE-1742
Ø 3 mm
length 180mm
DE-1743
Ø 4 mm
length 180mm
DE-1744
Ø 5 mm
length 180mm